

EXPRESSION OF INTEREST (EOI)

| | |
|--|---|
| Project | CERES |
| Company / Client | Perdaman Chemicals and Fertilisers Pty Ltd |
| Package Material Requisition Number | 0000-GA-E-60901 |
| Package Title | STAINLESS STEEL SEAMLESS PIPES |
| 1. SUBMISSION PROCEDURE | |
| EOI Instructions | <p>Supplier(s) are invited to express interest by registering on ICN Gateway where competency and previous positive experiences of similar supply of goods / services can be demonstrated.</p> <p>When submitting interest registrants will be asked to complete an expression of interest document. The registrant's response will form their Expression of Interest (EOI) for material and/or services.</p> <p>Suppliers will only be considered for Prequalification should they satisfy stated criteria, including but not limited to Health, Safety & Environmental Management, Quality management, financial standing, relevant experience and availability.</p> |
| EOI Closing Date | Please submit by close of business on 12/04/2023 |
| Returnable Schedules | Where the EOI calls for any Returnable Schedules, please ensure all schedules are submitted. |
| Contact | <p>All initial enquiries should be made through the Industry Capability Network Western Australia (ICNWA).</p> <p>Andie Pfaff andie.pfaff@icnwa.org.au +61 (08) 9365 7422</p> |
| URL | <p>For more information regarding the Perdaman, refer</p> <ul style="list-style-type: none"> https://www.perdamanindustries.com.au/scjv/ |
| 2. INDICATIVE SCOPE OF WORK | |
| Package Description | <p>Overview</p> <p>Saipem Australia Pty Ltd and Clough Projects Australia Pty Ltd Joint Venture (herein referred to as the "CONTRACTOR") has reached an agreement with Perdaman Chemicals and Fertilisers Pty Ltd (herein referred to as the "OWNER") for the Engineering, Procurement, Construction and Commissioning of the PROJECT CERES located in Burrup Strategic Industrial Area, Burrup Peninsula, Western Australia.</p> <p>Perdaman Chemicals and Fertilisers Pty Ltd (OWNER) is focused on the development of Perdaman - Project CERES which shall be the world's largest gas stream ammonia-urea plant with a production capacity of 2.14 MMTPA granular urea.</p> |

| | |
|--|---|
| | <p>General Scope of Supply / Services</p> <p>The Scope of Supply for STAINLESS STEEL – SEAMLESS PIPES shall include:</p> <ul style="list-style-type: none"> • Material Supply as per Annexure 1 • Expediting, Inspection & Testing • Packing, Marking & Shipping • Documentation <p>The purpose of this enquiry is to Award a Project Master Agreement and on the basis of Project Master Agreement, different Call-off Purchase orders will be Issued.</p> |
| Standards | Compliance with National, International and Industry Standards, Australian and WA Regulatory requirements. |
| Key Dates | Final Notice to Proceed planned during 2023 |
| Point of Delivery | Partial at Module Fabrication Yard (Outside Australia) & Partial at Project Site in Burrup Strategic Industrial Area (Western Australia) |
| 3. RETURNABLE DOCUMENTS | |
| List of Returnable Schedules | List of experience on similar equipment supply projects |
| 4. DISCLAIMER | |
| This Expression of Interest to gain an insight into the capabilities of potential suppliers and/or service providers and not a Tender Invitation or offer - the schedule and content of this work is subject to change pending project demand and timelines. | |

Annexure – I: STAINLESS STEEL SEAMLESS PIPES

| S.No. | MARK | ITEM DESCRIPTION | MAIN SIZE (INCH) | QUANTITY | UM |
|-------|-------|---|------------------|----------|----|
| 1 | AA014 | NPS:3/4-Thk:3.91mm-PIPE-ASTM A312 TP316L - SMLS | 3/4 | 6 | m |
| 2 | AA171 | NPS:4-Thk:3.05mm-PIPE-ASTM A312 TP304L - SMLS | 4 | 156 | m |
| 3 | AA173 | NPS:2-Thk:2.77mm-PIPE-ASTM A312 TP304L - SMLS | 2 | 150 | m |
| 4 | AA178 | NPS:1 1/2-Thk:3.68mm-PIPE-ASTM A312 TP304L - SMLS | 1 1/2 | 48 | m |
| 5 | AA179 | NPS:1-Thk:3.38mm-PIPE-ASTM A312 TP304L - SMLS | 1 | 1212 | m |
| 6 | AA180 | NPS:3/4-Thk:2.87mm-PIPE-ASTM A312 TP304L - SMLS | 3/4 | 384 | m |
| 7 | AA181 | NPS:1/2-Thk:2.77mm-PIPE-ASTM A312 TP304L - SMLS | 1/2 | 1626 | m |

| S.No. | MARK | ITEM DESCRIPTION | MAIN SIZE (INCH) | QUANTITY | UM |
|-------|-------|--|------------------|----------|----|
| 8 | AA208 | NPS:1 1/2-Thk:3.68mm-PIPE-ASTM A312 TP316L - SMLS | 1 1/2 | 138 | m |
| 9 | AA209 | NPS:1-Thk:3.38mm-PIPE-ASTM A312 TP316L - SMLS | 1 | 282 | m |
| 10 | AA210 | NPS:3/4-Thk:2.87mm-PIPE-ASTM A312 TP316L - SMLS | 3/4 | 114 | m |
| 11 | AA211 | NPS:1/2-Thk:2.77mm-PIPE-ASTM A312 TP316L - SMLS | 1/2 | 972 | m |
| 12 | AA221 | NPS:2-Thk:3.91mm-PIPE-ASTM A312 TP316L - SMLS | 2 | 186 | m |
| 13 | AA225 | NPS:4-Thk:6.02mm-PIPE-ASTM A312 TP316L - SMLS | 4 | 618 | m |
| 14 | AA226 | NPS:3-Thk:5.49mm-PIPE-ASTM A312 TP316L - SMLS | 3 | 660 | m |
| 15 | AA279 | NPS:3/4-Thk:2.87mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS -GA-E-60020 | 3/4 | 84 | m |
| 16 | AA332 | NPS:10-Thk:9.27mm-PIPE-ASTM A312 TP316L - SMLS | 10 | 24 | m |
| 17 | AA333 | NPS:8-Thk:8.18mm-PIPE-ASTM A312 TP316L - SMLS | 8 | 6 | m |
| 18 | AA334 | NPS:6-Thk:7.11mm-PIPE-ASTM A312 TP316L - SMLS | 6 | 378 | m |
| 19 | AA337 | NPS:4-Thk:6.02mm-PIPE-ASTM A312 TP304L - SMLS | 4 | 1506 | m |
| 20 | AA372 | NPS:4-Thk:6.02mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS - GA-E-60020 | 4 | 102 | m |
| 21 | AA413 | NPS:6-Thk:7.11mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 6 | 1020 | m |
| 22 | AA414 | NPS:4-Thk:6.02mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 4 | 1008 | m |
| 23 | AA415 | NPS:3-Thk:5.49mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 3 | 948 | m |
| 24 | AA416 | NPS:2-Thk:3.91mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 2 | 2832 | m |
| 25 | AA417 | NPS:1 1/2-Thk:5.08mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 1 1/2 | 6 | m |
| 26 | AA418 | NPS:1-Thk:4.55mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 1 | 12 | m |
| 27 | AA419 | NPS:3/4-Thk:3.91mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 3/4 | 24 | m |
| 28 | AA420 | NPS:1/2-Thk:3.73mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 1/2 | 6 | m |
| 29 | AA434 | NPS:1-Thk:4.55mm-PIPE-ASTM A312 TP347H - SMLS | 1 | 6 | m |

| S.No. | MARK | ITEM DESCRIPTION | MAIN SIZE (INCH) | QUANTITY | UM |
|-------|-------|---|------------------|----------|----|
| 30 | AA435 | NPS:3/4-Thk:3.91mm-PIPE-ASTM A312 TP347H - SMLS | 3/4 | 6 | m |
| 31 | AA471 | NPS:20-Thk:5.54mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 20 | 24 | m |
| 32 | AA472 | NPS:18-Thk:4.78mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 18 | 114 | m |
| 33 | AA473 | NPS:16-Thk:4.78mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 16 | 60 | m |
| 34 | AA474 | NPS:14-Thk:4.78mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 14 | 384 | m |
| 35 | AA475 | NPS:12-Thk:4.57mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 12 | 570 | m |
| 36 | AA476 | NPS:10-Thk:4.19mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 10 | 354 | m |
| 37 | AA477 | NPS:8-Thk:3.76mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 8 | 432 | m |
| 38 | AA478 | NPS:6-Thk:3.4mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 6 | 318 | m |
| 39 | AA479 | NPS:4-Thk:3.05mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 4 | 6 | m |
| 40 | AA481 | NPS:2-Thk:2.77mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 2 | 396 | m |
| 41 | AA482 | NPS:1 1/2-Thk:3.68mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 1 1/2 | 42 | m |
| 42 | AA483 | NPS:1-Thk:3.38mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 1 | 1734 | m |
| 43 | AA484 | NPS:3/4-Thk:2.87mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 3/4 | 6 | m |
| 44 | AA485 | NPS:1/2-Thk:2.77mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 1/2 | 480 | m |
| 45 | AA494 | NPS:6-Thk:3.4mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 6 | 6 | m |
| 46 | AA495 | NPS:4-Thk:3.05mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 4 | 18 | m |
| 47 | AA496 | NPS:3-Thk:3.05mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 3 | 2172 | m |
| 48 | AA497 | NPS:2-Thk:2.77mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 2 | 1506 | m |
| 49 | AA561 | NPS:6-Thk:7.11mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 6 | 6 | m |

| S.No. | MARK | ITEM DESCRIPTION | MAIN SIZE (INCH) | QUANTITY | UM |
|-------|-------|---|------------------|----------|----|
| 50 | AA562 | NPS:4-Thk:6.02mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 4 | 30 | m |
| 51 | AA563 | NPS:3-Thk:5.49mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 3 | 54 | m |
| 52 | AA564 | NPS:2-Thk:3.91mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 2 | 342 | m |
| 53 | AA567 | NPS:3/4-Thk:3.91mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 3/4 | 12 | m |
| 54 | AA568 | NPS:1/2-Thk:3.73mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 1/2 | 6 | m |
| 55 | AA715 | NPS:2-Thk:1.65mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 2 | 102 | m |
| 56 | AA768 | NPS:20-Thk:44.45mm-PIPE-ASTM A312 TP347H - SMLS | 20 | 24 | m |
| 57 | AA780 | NPS:18-Thk:19.05mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 18 | 18 | m |
| 58 | AA781 | NPS:16-Thk:16.66mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 16 | 12 | m |
| 59 | AA783 | NPS:12-Thk:14.27mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 12 | 6 | m |
| 60 | AA784 | NPS:10-Thk:11.13mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 10 | 270 | m |
| 61 | AA785 | NPS:8-Thk:9.53mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 8 | 18 | m |
| 62 | AA788 | NPS:24-Thk:24.61mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 24 | 18 | m |
| 63 | AA789 | NPS:20-Thk:20.62mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 20 | 84 | m |
| 64 | AA790 | NPS:18-Thk:19.05mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 18 | 48 | m |
| 65 | AA791 | NPS:16-Thk:16.66mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 16 | 6 | m |
| 66 | AA793 | NPS:12-Thk:17.48mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS | 12 | 30 | m |
| 67 | AA801 | NPS:12-Thk:21.44mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 12 | 12 | m |

| S.No. | MARK | ITEM DESCRIPTION | MAIN SIZE (INCH) | QUANTITY | UM |
|-------|-------|--|------------------|----------|----|
| 68 | AA804 | NPS:6-Thk:10.97mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 6 | 90 | m |
| 69 | AA805 | NPS:4-Thk:8.56mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 4 | 12 | m |
| 70 | AA870 | NPS:10-Thk:15.09mm-PIPE- ASTM A312 TP304/TP304L DUAL GRADE - SMLS | 10 | 6 | m |
| 71 | AA873 | NPS:20-Thk:32.54mm-PIPE-ASTM A312 TP347H - SMLS | 20 | 60 | m |
| 72 | AA882 | NPS:3-Thk:5.49mm-PIPE-ASTM A312 TP347H - SMLS | 3 | 30 | m |
| 73 | AA883 | NPS:2-Thk:3.91mm-PIPE-ASTM A312 TP347H - SMLS | 2 | 6 | m |
| 74 | AA966 | NPS:3-Thk:5.49mm-PIPE-ASTM A312 TP304L - SMLS | 3 | 2232 | m |
| 75 | AA967 | NPS:2-Thk:3.91mm-PIPE-ASTM A312 TP304L - SMLS | 2 | 2910 | m |
| 76 | AAB97 | NPS:18-Thk:4.78mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS - GA-E-60007 | 18 | 30 | m |
| 77 | AAC00 | NPS:12-Thk:4.57mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS - GA-E-60007 | 12 | 156 | m |
| 78 | AAC01 | NPS:10-Thk:4.19mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS - GA-E-60007 | 10 | 12 | m |
| 79 | AAC03 | NPS:6-Thk:7.11mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS - GA-E-60007 | 6 | 12 | m |
| 80 | AAC06 | NPS:2-Thk:3.91mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS - GA-E-60007 | 2 | 318 | m |
| 81 | AAC07 | NPS:1 1/2-Thk:3.68mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS -GA-E-60007 | 1 1/2 | 6 | m |
| 82 | AAC09 | NPS:3/4-Thk:2.87mm-PIPE-ASTM A312 TP316/TP316L DUAL GRADE - SMLS -GA-E-60007 | 3/4 | 6 | m |